Webform 3

Building Surveys in Drupal

Webform 3

Building Surveys in Drupal

(Webform: Now more abusable than ever!)

Lullabot™

- Nathan Haug

- Nathan Haug
- "quicksketch" on d.o

- Nathan Haug
- "quicksketch" on d.o





- Nathan Haug
- "quicksketch" on d.o







Lullabot

- Nathan Haug
- "quicksketch" on d.o





Lullabot™

- Nathan Haug
- "quicksketch" on d.o
- "PNWSUMMIT" 15% off at http://store.lullabot.com



Webform

Webform

- The tool for making surveys in Drupal

Webform

- The tool for making surveys in Drupal
- Easier to use than CCK

Webform

- The tool for making surveys in Drupal
- Easier to use than CCK
  - (no it's not based on CCK)

Webform

- The tool for making surveys in Drupal
- Easier to use than CCK
  - (no it's not based on CCK)
  - (no it doesn't use Entities in D7)

Webform

- The tool for making surveys in Drupal
- Easier to use than CCK
  - (no it's not based on CCK)
  - (no it doesn't use Entities in D7)
- Designed for end-users,
  not administrators

Webform

- The tool for making surveys in Drupal
- Easier to use than CCK
  - (no it's not based on CCK)
  - (no it doesn't use Entities in D7)
- Designed for end-users,
  not administrators
- Many-to-few method of collecting data

Many-to-Few

Many-to-Few

Users
(front-end, public)



Many-to-Few

Users
(front-end, public)



Editors
(back-end, administrative)



Many-to-Few

Users
(front-end, public)



Editors
(back-end, administrative)



Many-to-Few

Users
(front-end, public)

submissions

Editors
(back-end, administrative)

Many-to-Few

Users
(front-end, public)

submissions

Editors
(back-end, administrative)

Many-to-Few

Users
(front-end, public)

Editors
(back-end, administrative)

Many-to-Few

Users
(front-end, public)

Your name:

Your E-mail:

Subject:

Message:

Send



Editors
(back-end, administrative)

Many-to-Few

Users
(front-end, public)

Your name:

Your E-mail:

Subject:

Message:

Send



Editors
(back-end, administrative)

Many-to-Few

Users
(front-end, public)

Editors
(back-end, administrative)



my
submissions

Dark Days

Webform Needs Another Maintainer

View | Edit | Outline

quicksketch - October 14, 2009 - 19:44

Project:	Webform
Component:	Code
Category:	task
Priority:	normal
Assigned:	Unassigned
Status:	active

Jump to:
Most recent comment
Add new comment

Description

It's been nearly 6 months since ~~#455720: Add a New Webform Maintainer~~, when we added djalloway as a co-maintainer to the Webform project. Back then we had 400 open issues. Now we have over 650. I'm frankly overwhelmed by the support requests and answering them all could alone be a full-time job. Considering my inability to answer issues, I've just given up entirely on the Webform project, which obviously isn't beneficial to the users that are building their sites with Webform.

Any users that are interested in helping maintain the Webform project, please contact me through my Drupal.org **contact form**. Do not ask me support questions through my contact form.

Dark Days

Webform Needs Another Maintainer

View | Edit | Outline

quicksketch - October 14, 2009 - 19:44

Project:	Webform
Component:	Code
Category:	task
Priority:	normal
Assigned:	Unassigned
Status:	active

Jump to:
Most recent comment
Add new comment

Description

It's been nearly 6 months since ~~#455720: Add a New Webform Maintainer~~, when we added djalloway as a co-maintainer to the Webform project. Back then we had 400 open issues. Now we have over 650. I'm frankly overwhelmed by the support requests and answering them all could alone be a full-time job. Considering my inability to answer issues, I've just given up entirely on the Webform project, which obviously isn't beneficial to the users that are building their sites with Webform.

Any users that are interested in helping maintain the Webform project, please contact me through my Drupal.org **contact form**. Do not ask me support questions through my contact form.

Now Behind Us!

http://drupal.org/project/usage/webform

Recent release usage

Release	Sep 19	Sep 12	Sep 5	Aug 29	Aug 22	Aug 15	Aug 8	Aug 1
6.x-3.x-dev	638	671	671	711	677	710	719	730
6.x-3.2	12,941	10,580	8,555	6,411	1,994	0	0	0
6.x-3.1	2,144	2,447	2,804	3,521	6,060	4,565	0	0
6.x-3.0-beta6	1,321	1,448	1,526	1,628	1,789	2,173	3,557	3,076
6.x-3.0-beta5	1,802	2,852	6,757	2,889	1,269	1,315	1,364	1,445
6.x-3.0-beta4	118	116	120	117	142	137	136	155
6.x-3.0-beta3	0	0	0	0	0	0	1	5
6.x-3.0-beta2	229	237	242	259	256	241	263	265
6.x-3.0-beta1	67	76	73	77	72	84	81	79
6.x-3.0	333	366	386	480	563	1,232	15	0
6.x-2.x-dev	15	15	16	20	22	22	21	19
6.x-2.10	14,279	12,902	11,564	10,597	9,052	6,549	15	0
6.x-2.9	39,202	39,892	40,874	46,116	44,986	48,675	58,059	55,905
6.x-2.8	3,204	3,059	3,124	4,366	3,165	3,298	3,427	3,378
6.x-2.7	6,457	6,254	6,451	5,888	5,204	5,406	5,469	5,516

Now Behind Us!

http://drupal.org/project/usage/webform

Recent release usage

Release	Sep 19	Sep 12	Sep 5	Aug 29	Aug 22	Aug 15	Aug 8	Aug 1
6.x-3.x-dev	638	671	671	711	677	710	719	730
6.x-3.2	12,941	10,580	8,555	6,411	1,994	0	0	0
6.x-3.1	2,144	2,447	2,804	3,521	6,060	4,565	0	0
6.x-3.0-beta6	1,321	1,448	1,526	1,628	1,789	2,173	3,557	3,076
6.x-3.0-beta5	1,802	2,852	6,757	2,889	1,269	1,315	1,364	1,445
6.x-3.0-beta4	118	116	120	117	142	137	136	155
6.x-3.0-beta3	0	0	0	0	0	0	1	5
6.x-3.0-beta2	229	237	242	259	256	241	263	265
6.x-3.0-beta1	67	76	73	77	72	84	81	79
6.x-3.0	333	366	386	480	563	1,232	15	0
6.x-2.x-dev	15	15	16	20	22	22	21	19
6.x-2.10	14,279	12,902	11,564	10,597	9,052	6,549	15	0
6.x-2.9	39,202	39,892	40,874	46,116	44,986	48,675	58,059	55,905
6.x-2.8	3,204	3,059	3,124	4,366	3,165	3,298	3,427	3,378
6.x-2.7	6,457	6,254	6,451	5,888	5,204	5,406	5,469	5,516

Now Behind Us!

http://drupal.org/project/usage/webform

Recent release usage

Release	Sep 19	Sep 12	Sep 5	Aug 29	Aug 22	Aug 15	Aug 8	Aug 1
6.x-3.x-dev	638	671	671	711	677	710	719	730
6.x-3.2	12,941	10,580	8,555	6,411	1,994	0	0	0
6.x-3.1	2,144	2,447	2,804	3,521	6,060	4,565	0	0
6.x-3.0-beta6	1,321	1,448	1,526	1,628	1,789	2,173	3,557	3,076
6.x-3.0-beta5	1,802	2,852	6,757	2,889	1,269	1,315	1,364	1,445
6.x-3.0-beta4	118	116	120	117	142	137	136	155
6.x-3.0-beta3	0	0	0	0	0	0	1	5
6.x-3.0-beta2	229	237	242	259	256	241	263	265
6.x-3.0-beta1	67	76	73	77	72	84	81	79
6.x-3.0	333	366	386	480	563	1,232	15	0
6.x-2.x-dev	15	15	16	20	22	22	21	19
6.x-2.10	14,279	12,902	11,564	10,597	9,052	6,549	15	0
6.x-2.9	39,202	39,892	40,874	46,116	44,986	48,675	58,059	55,905
6.x-2.8	3,204	3,059	3,124	4,366	3,165	3,298	3,427	3,378
6.x-2.7	6,457	6,254	6,451	5,888	5,204	5,406	5,469	5,516

Webform 3

Webform 3

- Conditional fields

Webform 3

- Conditional fields
- Save drafts and resume later

Webform 3

- Conditional fields
- Save drafts and resume later
- Webform-enable any content type

Webform 3

- Conditional fields
- Save drafts and resume later
- Webform-enable any content type
- Basic Views module support

Webform 3

- Conditional fields
- Save drafts and resume later
- Webform-enable any content type
- Basic Views module support
- Much better data integrity

Webform 3

- Conditional fields
- Save drafts and resume later
- Webform-enable any content type
- Basic Views module support
- Much better data integrity
- Form Builder Integration

  (http://drupal.org/project/form_builder)

Webform 3

- Conditional fields
- Save drafts and resume later
- Webform-enable any content type
- Basic Views module support
- Much better data integrity
- ~~Form Builder Integration~~

  (http://drupal.org/project/form_builder)

Holy APIs!

Holy APIs!

- Module-provided components

Holy APIs!

- Module-provided components
- Hooks for save/insert/update/delete submissions

Holy APIs!

- Module-provided components
- Hooks for save/insert/update/delete submissions
- Hooks for pre-built select lists

Holy APIs!

- Module-provided components
- Hooks for save/insert/update/delete submissions
- Hooks for pre-built select lists
- Renderables used in forms, e-mails, and viewing submissions

2.x Version


Submit Webform
Webform Settings
Title: *
Description:
Text to be shown as teaser and before the form.
Confirmation message or redirect URL:

Default: *nate@quicksketch.org*

Custom:

Component: No available components

After adding components to this form any textfield, select, or hidden form element may be selected as the sender's e-mail address.

E-mail subject:

Default: *Form submission from: %title*

Custom:

Component: No available components

After adding components to this form any textfield, select, or hidden form element may be selected as the subject for e-mails.

Webform advanced settings

Authoring information

Log message:

An explanation of the additions or updates being made to help other authors understand your motivations.

Publishing options

File attachments

Preview Submit

3.x Version


Create Webform
Title: *
Menu settings
Split summary at cursor
Body:
Input format
Authoring information
Publishing options
Save
Preview

3.x Version


Contact
View
Edit
Webform
Results
Devel
Wed, 2010-09-29 18:53 — admin
A basic contact form that sends e-mails.
Your name:
Your E-mail:
Subject:
Message:

Webform 3


Contact
View
Edit
Webform
Results
Devel
Form components
E-mails
Form settings
Name
Type
Value
Mandatory
Operations
Your name
textfield
-
Edit
Clone
Delete
Your E-mail
email
-
Edit
Clone
Delete
Subject
textfield
-
Edit
Clone
Delete
Message
textarea
-
Edit
Clone
Delete
New component name
Textfield
Add
Submit

Webform 3


Contact
View
Edit
Webform
Results
Devel
Form components
E-mails
Form settings
E-mail to
Subject
From
Operations
nate@localhost.localhost
Form submission from: Contact
"example1.lan" <nate@localhost.localhost>
Edit
Delete
Address:
email@example.com
Component value:
Your E-mail
Add

Webform 3


Contact
View
Edit
Webform
Results
Devel
Form components
E-mails
Form settings
E-mail to address:
Custom: nate@localhost.localhost
Component: Your E-mail
Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the recipient address. Multiple e-mail addresses may be separated by commas.
E-mail header details
E-mail subject:
Default: Form submission from: Contact
Custom:
Component: Your name
Any textfield, select, or hidden form element may be selected as the subject for e-mails.
E-mail from address:
Default: nate@localhost.localhost
Custom:

Default: *example1.lan*

Custom:

Component: Your name

Any textfield, select, or hidden form element may be selected as the sender's name for e-mails.

E-mail template

An e-mail template can customize the display of e-mails.

Default template

```
Submitted on %date
Submitted by user: %username
Submitted values are:
%email_values

The results of this submission may be viewed at:
%submission_url
```

Token values

Included e-mail values

Save e-mail settings

Webform 3


Contact
View
Edit
Webform
Results
Devel
Form components
E-mails
Form settings
Submission settings
Confirmation message:
Thank you, we'll respond shortly!
Message to be shown upon successful submission. If Redirect URL is set this displays as a message, otherwise it will be shown on its own page.
Input format

Submission access

These permissions affect which roles can submit this webform. It does not prevent access to the webform page. If needing to prevent access to the webform page entirely, use a content access module such as Taxonomy Access or Node Privacy by Role.

Roles that can submit this webform:

- [x] anonymous user
- [x] authenticated user

Uncheck all roles to prevent new submissions. The *authenticated user* role applies to any user signed into the site, regardless of other assigned roles.

Advanced settings

- [ ] Show complete form in teaser

Display the entire form in the teaser display of this node.

- [ ] Allow users to save a draft

Allow your users to save and finish the form later.

- [ ] Show the notification about previous submissions.

Show the previous submissions notification that appears when users have previously submitted this form.

Submit button text:

Send

By default the submit button on this form will have the label *Submit*. Enter a new title here to override the default.

Save configuration

Webform 3

Contact
View
Edit
Webform
Results
Devel
Submissions
Analysis
Table
Download
Clear
Showing all results. 2 results total.
Submitted User IP Address Operations
1 2010-09-29 19:04 admin 127.0.0.1 View Edit Delete
2 2010-09-29 19:09 admin 127.0.0.1 View Edit Delete

Webform 3



Q	responses	
1	**Your name**	
	Left Blank	0
	User entered value	2
	Average submission length in words (ex blanks)	1.00
2	**Your E-mail**	
	Left Blank	0
	User entered value	2
	Average submission length in words (ex blanks)	3.00
3	**Subject**	

Webform 3


Contact
View
Edit
Webform
Results
Devel
Submissions
Analysis
Table
Download
Clear
Showing all results. 2 results total.
Submitted User IP Address Your name Your E-mail Subject Message
1 2010-09-29 19:04 admin 127.0.0.1 Nate nate@localhost.localhost Sample submission Webform 3 is pretty great!
2 2010-09-29 19:09 admin 127.0.0.1 Nate nate@localhost.localhost Another sample submission Wowswers!

Webform 3


Contact
View
Edit
Webform
Results
Devel
Submissions
Analysis
Table
Download
Clear
Export format:
Delimited text
Microsoft Excel
Delimited text format:
Tab (\t)
This is the delimiter used in the CSV/TSV file when downloading Webform results. Using tabs in the export is the most reliable method for preserving non-latin characters. You may want to change this to another character depending on the program with which you anticipate importing results.
Select list options
Included export components
Download

Webform 3

Demo Time!

Coming "Soon"

- Better Views support for submitted data
- Progress bar
- Public/private components
- Scheduling open/close
- Same-page conditional fields

Questions!

Questions!

Nathan Haug

Questions!

Nathan Haug

@quicksketch

Questions!

Nathan Haug

@quicksketch

"PNWSUMMIT" 15% off at
http://store.lullabot.com